

Product Group 3

Stainless steel snap hooks and fixing elements, essential if good quality is required even in adverse weather conditions.




Snap Hook

245-I



2450-I



Article No.	Ident No.	Surface	Material	l	d1	d2	f	m	SWL		100 pcs.	EAN-No.
			Body	mm	mm	mm	mm	mm	daN		kg	4012053
245-I-050-05	920719	po	A4	50	8,0	5,0	6,5	7,0	95	50	1,7	10570 6
245-I-060-06	920720	po	A4	60	8,5	6,0	6,5	8,0	105	50	2,8	10571 3
245-I-070-07	920721	po	A4	70	10,0	7,0	7,5	9,5	155	25	4,0	10572 0
245-I-080-08	920722	po	A4	80	11,5	8,0	7,5	10,0	185	20	6,4	10573 7
245-I-100-10	920724	po	A4	100	16,0	10,0	11,0	13,5	260	10	12,4	10574 4
245-I-120-11	920725	po	A4	120	19,5	11,0	14,0	17,5	360	10	18,2	10575 1
2450-I-050-05	920726	po	A4	50	6,0	5,0	-	6,0	95	50	1,7	10590 4
2450-I-060-06	920727	po	A4	60	6,0	6,0	-	8,0	105	50	2,8	10591 1
2450-I-070-07	920728	po	A4	70	8,0	7,0	-	9,0	155	25	4,0	10592 8
2450-I-080-08	920729	po	A4	80	11,0	8,0	-	10,0	185	20	6,4	10593 5
2450-I-100-10	920731	po	A4	100	14,0	10,0	-	11,0	260	10	12,4	10594 2
2450-I-120-11	920732	po	A4	120	17,0	11,0	-	17,0	360	10	18,2	10595 9

245-IS



2450-IS



2450-IR-Lock



246-I



247-I



Article No.	Ident No.	Surface	Material	l	d1	d2	f	m	SWL		100 pcs.	EAN-No.
			Body	mm	mm	mm	mm	mm	daN		kg	4012053
245-IS-080-08	930001	po	A4	80,0	11,5	8,0	9,0	8,0	20	5	6,9	10580 5
245-IS-100-10	930002	po	A4	100,0	15,0	10,0	9,0	11,0	10	5	13,1	10581 2
245-IS-120-11	930003	po	A4	120,0	16,0	11,0	13,0	17,0	5	5	19,2	10582 9
2450-IS-080-08	930010	po	A4	80,0	10,0	8,0	-	7,0	20	5	6,6	10600 0
2450-IS-100-10	930011	po	A4	100,0	13,5	10,0	-	10,0	10	5	13,5	10601 9
2450-IS-120-11	930012	po	A4	120,0	15,0	11,0	-	15,0	5	5	18,9	10602 4
2450-IR-LOCK-100-10	931647	po	A4	100,0	13,0	10,0	-	12,0	10	5	13,6	10630 7
246-I-060-06	930004	po	A4	60,0	9,0	6,0	-	9,0	25	5	2,7	10680 2
247-I-060-06	930005	po	A4	60,0	8,0	6,0	-	10,0	25	5	3,0	10690 1
247-I-080-08	930006	po	A4	80,0	12,0	8,0	-	12,0	20	5	7,1	10691 8
247-I-100-10	930007	po	A4	100,0	15,0	10,0	-	18,0	10	5	13,8	10692 5
247-I-120-11	930008	po	A4	120,0	19,0	11,0	-	24,0	5	5	19,7	10693 2

Snap Hook / Simple- Hook

2470-I




2470-IR-Lock




2490-I





2315-I



Article No.	Ident No.	Surface	Material Body	l mm	d1 mm	d2 mm	f mm	m mm		100 pcs. kg	EAN-No. 4012053
2470-I-060-06	930013	po	A4	60,0	6,0	6,0	-	10,0	25	3,1	10640 6
2470-I-080-08	930014	po	A4	80,0	10,0	8,0	-	12,0	20	7,2	10641 3
2470-I-100-10	930015	po	A4	100,0	14,0	10,0	-	18,0	10	13,6	10642 0
2470-I-120-11	930016	po	A4	120,0	17,0	11,0	-	24,0	5	19,9	10643 7
2470-IR-Lock100-10	930017	po	A4	100,0	12,0	10,0	-	18,0	10	14,4	10631 4
2490-I-090	930057	po	A4	90,0	10,0	9,0	-	19,0	20	10,7	10650 5
2315-I-050	915897	po	A4	50,0	6,0			11,0	50	2,1	10830 1
2315-I-070	915898	po	A4	70,0	9,0			11,5	25	5,0	10831 8
2315-I-100	915899	po	A4	100,0	13,5			11,5	20	14,5	10832 5

4293-1/2-I



Article No.	Ident No.	Surface	Material Body	l mm	d1 mm	m mm		100 pcs. kg	EAN-No. 4012053
4293-1/2-I-40	901924	po	A4	40,0	7,0	5,5	200	0,4	10670 3


Shackle


601
613-I


500-I




501-I




Article No.	Ident No.	Surface	Material Body	b1 mm	b2 mm	h mm	d mm	SWL daN		100 pcs. kg	EAN-No. 4012053
500-I-05	902011	po	A4	10,0	-	18,0	5,0	270	50	1,3	10610 9
500-I-06	911063	po	A4	12,0	-	26,0	6,0	385	25	2,3	10611 6
500-I-08	901719	po	A4	15,0	-	28,5	8,0	510	25	5,7	10612 3
500-I-10	900915	po	A4	20,0	-	34,0	10,0	800	20	10,9	10613 0
500-I-12	913031	po	A4	24,0	-	42,0	12,0	1000	10	19,2	10614 7
500-I-16	933828	po	A4	32,0	-	65,0	16,0	1350	5	44,4	10615 4
501-I-05	901410	po	A4	11,0	17,0	22,0	5,0	270	50	1,6	10620 8
501-I-06	904000	po	A4	12,0	21,0	24,0	6,0	385	25	1,9	10621 5
501-I-08	913009	po	A4	17,0	25,0	33,0	8,0	510	25	6,0	10622 2
501-I-10	914759	po	A4	20,0	34,0	38,0	10,0	800	20	12,5	10623 9
501-I-12	904717	po	A4	24,0	38,0	46,0	12,0	1000	10	21,8	10624 6
501-I-16	933829	po	A4	31,0	46,0	56,0	16,0	1350	5	47,1	10625 3

Article No.	Ident No.	Surface	Material Body	b1 mm	b2 mm	h mm	d mm	BS daN		100 pcs. kg	EAN-No. 4012053
601-I-04	900258	po	A2	10,0	9,5	15,0	4,0	500	50	0,5	10790 8
603-I-05	903623	po	A2	12,0	11,0	17,0	5,0	1000	50	1,0	10791 5
605-I-05	907733	po	A2	16,0	14,7	24,0	5,0	1000	50	1,6	10792 2
607-I-06	910183	po	A2	14,0	16,0	23,0	6,0	2000	50	2,5	10793 9
611-I-08	913021	po	A2	17,0	19,0	31,0	8,0	3000	25	4,5	10794 6
612-I-10	909612	po	A2	21,0	25,0	40,0	10,0	4800	25	8,5	10795 3
613-I-12	914523	po	A2	25,0	28,5	50,0	12,0	7000	10	16,0	10796 0

10000-I



Article No.	Ident No.	Surface	Material Body	l mm	small eyelet (A) mm	big eyelet (B) mm		100 pcs. kg	EAN-No. 4012053
10000-I-070	906817	po	A4	68,5	12,0	14,9	20	5,7	10840 0
10000-I-090	901265	po	A4	88,0	20,0	19,0	10	12,5	10841 7
10000-I-120	908734	po	A4	125,0	22,0	27,0	5	30,1	10842 4

TD FIXII

Quick link


508-I




508-I-A



509-I



Article No.	Ident No.	Surface	Material	d1	d2	d3	m	BS	SWL		100 pcs.	EAN-No.
			Body	mm	mm	mm	mm	daN	daN		kg	4012053

Professional article


508-I-04 E	901610	po	A4	4,0	31,5	11,5	5,0	1400	280	50	1,6	10710 6
508-I-05 E	903413	po	A4	5,0	38,5	13,0	7,0	2250	450	50	2,1	10711 3
508-I-06 E	912234	po	A4	6,0	45,0	15,0	8,5	3250	650	50	3,5	10712 0
508-I-07 E	913854	po	A4	7,0	49,0	17,0	9,0	4500	900	25	5,5	10713 7
508-I-08 E	901565	po	A4	8,0	56,0	18,0	12,0	5500	1100	25	8,1	10714 4
508-I-10 E	902597	po	A4	10,0	69,0	21,0	12,5	9000	1800	10	14,3	10715 1
508-I-12 E	910299	po	A4	12,0	80,0	24,5	15,0	12500	2500	5	24,0	10716 8

Professional article

508-I-A-04 E	904984	po	A4	4,0	44,5	12,0	11,5	1250	250	50	1,6	10730 4
508-I-A-05 E	906595	po	A4	5,0	51,0	13,5	13,5	2000	400	50	2,6	10731 1
508-I-A-06 E	914938	po	A4	6,0	58,5	14,5	16,0	2900	580	25	4,2	10732 8
508-I-A-07 E	908818	po	A4	7,0	64,5	17,0	16,5	4000	800	25	6,2	10733 5
508-I-A-08 E	903720	po	A4	8,0	71,5	18,0	17,5	4900	980	20	9,3	10734 2
508-I-A-10 E	912899	po	A4	10,0	85,0	21,0	21,0	8000	1600	20	16,0	10735 9

Professional article

509-I-04 E	935050	po	A4	4,0	32,0	27,0	5,0	1000	200	100	1,4	10736 6
------------	---------------	----	----	-----	------	------	-----	------	-----	-----	-----	---------

Article No.	Ident No.	Surface	Material	d1	d2	d3	m	BS	SWL		100 pcs.	EAN-No.
			Body	mm	mm	mm	mm	daN	daN		kg	4012053

Consumer article



508-I-04 F	926593	po	A2	4,0	32,0	11,5	5,5	-	90	50	1,6	10720 5
508-I-05 F	926594	po	A2	5,0	38,5	13,5	6,5	-	120	50	2,1	10721 2
508-I-06 F	926595	po	A2	6,0	47,0	15,0	8,5	-	180	25	3,5	10722 9
508-I-08 F	926596	po	A2	8,0	59,0	18,0	10,0	-	320	20	8,1	10723 6
508-I-10 F	928723	po	A2	10,0	70,0	20,5	12,5	-	420	10	14,3	10724 3
508-I-12 F	928724	po	A2	12,0	82,0	23,0	14,0	-	600	5	24,0	10725 0


Wire rope clip

511-I






512-I



Article No.	Ident No.	Surface	Material	Rope-Ø	b	d	h	l				100 pcs.	EAN-No.
				mm	mm	mm	mm	mm				kg	4012053
511-I-02	924822	po	A2	2	4,0	M 4,0	5,0	15,0			200	0,5	10750 2
511-I-03	924823	po	A2	3	6,0	M 4,0	7,0	17,0			100	0,6	10751 9
511-I-04	924824	po	A2	4	8,0	M 5,0	7,0	20,0			100	1,1	10752 6
511-I-05	924825	po	A2	5	10,0	M 5,0	8,0	25,0			50	1,4	10753 3
511-I-06	924826	po	A2	6	13,0	M 6,0	10,0	30,0			50	2,8	10754 0
511-I-08	950016	po	A2	8	18,0	M 8,0	12,0	38,0			25	4,8	10755 7
511-I-10	933827	po	A2	10	21,5	M 10,0	15,0	42,0			25	5,0	10756 4
512-I-02	924827	po	A2	2	4,0	M 4,0	6,0	30,0			100	1,0	10760 1
512-I-03	924828	po	A2	3	7,0	M 4,0	7,0	35,0			50	1,3	10761 8
512-I-04	924829	po	A2	4	8,0	M 5,0	7,5	40,0			50	2,3	10762 5
512-I-05	924830	po	A2	5	10,0	M 5,0	10,0	50,0			50	2,8	10763 2
512-I-06	924831	po	A2	6	12,0	M 6,0	12,0	60,0			25	5,5	10764 9
512-I-08	924832	po	A2	8	18,0	M 8,0	15,0	72,0			20	9,6	10765 6
512-I-10	924833	po	A2	10	21,0	M 10,0	16,0	94,5			10	19,5	10766 3


515-I




Article No.	Ident No.	Surface	Material	Rope-Ø	l	d	b1	b2	h1	h2		100 pcs.	EAN-No.
				mm	mm	mm	mm	mm	mm	mm		kg	4012053
515-I-02	933826	po	A4	2	17,0	3,0	5,0	8,5	18,0	10,0	100	0,9	10778 6
515-I-03	924714	po	A4	3	20,0	4,0	5,0	10,0	20,0	10,0	100	1,1	10770 0
515-I-04	919880	po	A4	4	20,0	4,0	5,0	10,0	22,0	10,0	100	1,6	10771 7
515-I-05	919881	po	A4	5	24,0	5,0	7,0	11,0	24,0	11,0	50	1,8	10772 4
515-I-06	919882	po	A4	6	26,0	5,0	9,0	12,0	29,0	11,0	50	2,1	10773 1
515-I-08	919883	po	A4	8	32,5	6,0	10,0	14,0	35,0	15,0	25	4,3	10774 8
515-I-10	919884	po	A4	10	33,0	7,0	12,0	16,0	42,0	17,0	20	6,8	10775 5
515-I-12	919885	po	A4	12	37,0	8,0	12,0	20,0	45,0	19,0	10	18,0	10776 2
515-I-14	919886	po	A4	14	44,0	10,0	16,0	23,0	58,0	22,0	10	28,0	10777 9

Rigging screw


4250-I




Article No.	Ident No.	Surface	Material Body	Rope-Ø mm	L min mm	L max mm	d1 mm	d2 mm	m mm	BS daN		100 pcs. kg	EAN-No. 4012053
4250-I-05	914337	po	A4	-	124	180	M 5	5,0	7,5	700	10	5,1	10660 4
4250-I-06	907744	po	A4	-	140	200	M 6	5,0	7,5	900	1	9,0	10661 1
4250-I-08	909628	po	A4	-	166	240	M 8	8,0	10,0	1500	1	15,0	10662 8
4250-I-10	913298	po	A4	-	176	280	M 10	9,5	10,0	3000	1	26,0	10663 5
4250-I-12	902167	po	A4	-	222	350	M 12	12,0	10,0	4500	1	52,5	10664 2

Thimble

844-I



Article No.	Ident No.	Surface	Material Body	Rope-Ø mm	a mm	c mm	l mm	s mm		100 pcs. kg	EAN-No. 4012053
844-I-02	924715	po	A2	2,0	2,0	6,5	14,0	1,0	200	0,15	10880 4
844-I-03	924716	po	A2	2,5	3,0	9,0	16,0	1,0	100	0,2	10801 1
844-I-04	924717	po	A2	3,5	4,0	11,0	17,5	1,0	100	0,3	10802 8
844-I-05	924718	po	A2	4,0	5,0	13,0	21,0	1,1	100	0,6	10803 5
844-I-06	924719	po	A2	5,0	7,0	14,0	24,0	1,2	50	1,0	10804 2
844-I-08	924720	po	A2	7,0	8,0	18,0	34,0	1,5	50	1,8	10805 9
844-I-10	924721	po	A2	9,0	11,0	23,0	42,0	1,9	50	2,7	10806 6
844-I-12	924722	po	A2	11,0	13,5	30,0	48,0	1,9	25	3,8	10807 3
844-I-14	924723	po	A2	13,0	16,0	32,0	52,0	1,9	20	6,3	10808 0
844-I-16	924724	po	A2	15,0	16,0	38,0	60,0	2,0	10	10,8	10809 7

Turnbuckle


1485-IA




1485-IB



1485-IC





Article No.	Ident No.	Surface	Material	l1	l2	b	e	f	m		100 pcs.	EAN-No.
				mm	mm	mm	mm	mm	mm		kg	4012053
1485-I-05 A	907736	po	A4	73,0	57,0	8,0	58,0	62,0	6	25	4,4	10820 2
1485-I-06 A	910539	po	A4	100,0	75,0	10,0	74,0	75,0	9	25	8,5	10821 9
1485-I-08 A	909627	po	A4	120,0	92,0	12,0	91,0	85,0	10	10	14,3	10822 6
1485-I-10 A	906215	po	A4	150,0	122,0	14,0	107,0	103,0	11	10	24,0	10823 3
1485-I-12 A	904372	po	A4	200,0	170,0	20,0	145,0	147,0	12	1	52,8	10824 0
1485-I-16 A	906628	po	A4	250,0	210,0	22,0	165,0	177,0	19	1	111,5	10825 7
1485-I-05 B	932306	po	A4	73,0	57,0	8,0	57,0	57,0	-	25	4,7	10810 3
1485-I-06 B	930072	po	A4	100,0	75,0	10,0	76,0	76,0	-	25	8,4	10811 0
1485-I-08 B	930073	po	A4	120,0	93,0	12,0	87,0	87,0	-	10	14,5	10812 7
1485-I-10 B	930074	po	A4	150,0	122,0	14,0	102,0	102,0	-	10	24,4	10813 4
1485-I-12 B	930075	po	A4	200,0	170,0	18,0	137,0	137,0	-	1	53,9	10814 1
1485-I-16 B	930076	po	A4	250,0	215,0	22,0	180,0	180,0	-	1	113,0	10815 8
1485-I-05 C	933623	po	A4	73,0	57,0	-	56,0	56,0	6	25	4,0	10880 6
1485-I-06 C	933624	po	A4	90,0	68,0	-	74,0	74,0	9	25	7,4	10881 3
1485-I-08 C	933625	po	A4	120,0	93,0	-	88,0	88,0	10	10	13,8	10882 0
1485-I-10 C	933626	po	A4	150,0	120,0	-	123,0	123,0	11	10	23,8	10883 7
1485-I-12 C	933627	po	A4	200,0	170,0	-	145,0	145,0	12	1	50,2	10884 4
1485-I-16 C	933628	po	A4	250,0	210,0	-	195,0	195,0	19	1	109,5	10885 1


Eye-screw DIN 580 / Ring-nut DIN 582

580-I



582-I



Article No.	Ident No.	Surface	Material	d2	k1	h	l	m1	m2		100 pcs.	SWL	EAN-No.
				mm	mm	mm	mm	mm	mm		kg	daN	4012053

Oogbout / Ringschraube / Eye-screw / Vis à anneau / Peno de anilla / Ucho wkręcane DIN 580


580-I-06	932129	po	A4	15,0	6,0	30,0	13,0	M 6	16,0	50	6,0	90	10700 7
580-I-08	932130	po	A4	19,0	9,0	35,0	13,0	M 8	20,0	50	6,1	140	10701 4
580-I-10	932131	po	A4	25,0	11,0	45,0	15,0	M 10	25,0	25	10,0	230	10702 1
580-I-12	932132	po	A4	28,0	12,0	51,0	22,0	M 12	30,0	20	19,0	340	10703 8
580-I-16	932133	po	A4	35,0	14,0	64,0	30,0	M 16	35,0	10	31,0	700	10704 5
580-I-20	932134	po	A4	40,0	17,0	76,0	38,0	M 20	40,0	10	46,0	1200	10705 2
580-I-24	932135	po	A4	50,0	20,0	96,0	47,0	M 24	50,0	4	93,0	1800	10706 9
580-I-06	933058	po	A2	15,0	6,0	30,0	13,0	M 6	16,0	50	6,0	90	10850 9
580-I-08	933059	po	A2	19,0	9,0	35,0	13,0	M 8	20,0	50	6,1	140	10851 6
580-I-10	933060	po	A2	25,0	11,0	45,0	15,0	M 10	25,0	25	10,0	230	10852 3
580-I-12	933061	po	A2	28,0	12,0	51,0	19,0	M 12	30,0	20	1,0	340	10853 0
580-I-16	933062	po	A2	35,0	14,0	62,0	25,0	M 16	35,0	10	31,0	700	10854 7
580-I-20	933063	po	A2	40,0	16,0	75,0	38,0	M 20	40,0	10	46,0	1200	10855 4
580-I-24	933064	po	A2	48,0	20,0	92,0	36,0	M 24	50,0	4	93,0	1800	10856 1


Oogmoer / Ringmutter / Ring-nut / Ecron à anneau / Tuerca de anilla / Ucho nakręcane DIN 58

582-I-06	932136	po	A4	15,0	6,0	28,0	-	M 6	16,0	50	6,0	90	10740 3
582-I-08	932137	po	A4	19,0	9,0	35,0	-	M 8	20,0	50	6,1	140	10741 0
582-I-10	932138	po	A4	25,0	11,0	45,0	-	M 10	25,0	25	10,0	230	10742 7
582-I-12	932139	po	A4	28,0	12,0	53,0	-	M 12	30,0	20	17,0	340	10743 4
582-I-16	932140	po	A4	35,0	14,0	62,0	-	M 16	35,0	10	25,0	700	10744 1
582-I-20	932141	po	A4	40,0	16,0	75,0	-	M 20	40,0	10	38,0	1200	10745 8
582-I-24	932142	po	A4	48,0	20,0	92,0	-	M 24	50,0	4	70,0	1800	10746 5
582-I-06	933065	po	A2	15,0	6,0	28,0	-	M 6	16,0	50	6,0	90	10860 8
582-I-08	933066	po	A2	19,0	9,0	35,0	-	M 8	20,0	50	6,1	140	10861 5
582-I-10	933067	po	A2	25,0	11,0	45,0	-	M 10	25,0	25	10,0	230	10862 2
582-I-12	933068	po	A2	28,0	12,0	53,0	-	M 12	30,0	20	17,0	340	10863 9
582-I-16	933069	po	A2	35,0	14,0	62,0	-	M 16	35,0	10	25,0	700	10864 6
582-I-20	933070	po	A2	40,0	16,0	75,0	-	M 20	40,0	10	38,0	1200	10865 3
582-I-24	933071	po	A2	48,0	20,0	92,0	-	M 24	50,0	4	70,0	1800	10866 0


Swivel


178-I



Article No.	Ident No.	Surface	Material	d	d1	d2	l		100 pcs.	EAN-No.
				mm	mm	mm	mm		kg	4012053
178-I-05	933891	po	A4	5,0	13,0	13,0	59,0	20	3,9	13020 3
178-I-06	933892	po	A4	6,0	15,0	15,0	66,0	10	5,5	13021 0
178-I-08	933893	po	A4	8,0	20,0	20,0	90,0	10	12,0	13022 7
178-I-10	933894	po	A4	10,0	24,0	24,0	114,0	10	24,5	13023 4

179-I



Article No.	Ident No.	Surface	Material	d	b	l	a		100 pcs.	EAN-No.
				mm	mm	mm			kg	4012053
179-I-06	933895	po	A4	6,0	12,0	66,0	11,0	10	5,9	13030 2
179-I-08	933896	po	A4	8,0	16,0	92,0	18,0	5	16,4	13031 9
179-I-10	933897	po	A4	10,0	20,0	112,0	24,5	5	28,8	13232 6

Snap Hook

50-MS-L



50-MS




126-MS




127-MS



2317




Article No.	Ident No.	Surface	Material Body	d		l mm	m mm		100 pcs. kg	EAN-No. 4012053
				inch	mm					
50-MS-L-13	906760	bl	MS	1/2	13,0	76,0	6,5	100	3,1	10780 9
50-MS-16	903666	bl	MS	5/8	16,0	78,0	8,0	50	5,4	10781 7
50-MS-19	910920	bl	MS	3/4	19,0	80,0	10,0	50	5,6	10782 3
50-MS-25	932831	bl	MS	1	26,0	90,0	10,0	50	5,8	10783 0
126-MS-16	907448	bl	MS	5/8	16,0	72,0	9,0	50	4,5	11270 4
126-MS-19	904854	bl	MS	3/4	19,0	96,0	12,0	25	11,3	11271 1
127-MS-16	900999	bl	MS	5/8	18,0	85,0	9,0	50	6,4	11272 8
127-MS-19	911398	bl	MS	3/4	20,0	94,0	12,0	25	8,2	11273 5
2317-MS-19	900190	bl	MS	3/4	19,0	102,0	17,0	25	14,1	11280 3


Swivel

178-MS




167-MS




Article No.	Ident No.	Surface	Material	l mm	d1 mm	d2 mm		100 pcs. kg	EAN-No. 4012053
178-MS-25-25	902580	bl	MS	85,0	25,0	25,0	25	7,0	11300 8
167-MS-50	930018	bl	MS	51,0	10,0	10,0	50	2,5	11290 2
167-MS-90	930019	bl	MS	56,0	13,0	13,0	25	7,3	11291 8

Ring

258-MS



Article No.	Ident No.	Surface	Material	d mm	d1 mm	d2 mm		100 pcs. kg	EAN-No. 4012053
258-MS-30-05	900683	bl	MS	-	5,0	32,0	100	2,3	11301 5