


## Product Group 5


**Fittings and snap hooks, for personal protection equipment.**




Safety Snap Hook


227-S



| Article No. | Ident No. | Surface | Material | d1  | d2   | h    | m    | l     | BS   |  | 100 pcs. | EAN-No. |
|-------------|-----------|---------|----------|-----|------|------|------|-------|------|---|----------|---------|
|             |           |         |          | mm  | mm   | mm   | mm   | mm    | daN  |   | kg       | 4012053 |
| 227-S-08    | 931206    | sc      | NO       | 8,0 | 11,0 | 60,0 | 14,0 | 106,5 | 1200 | 25  | 9,6      | 11549 1 |


2301-S-CE




| Article No. | Ident No. | Surface | Material | l     | Ø    | m    | SL   |  | 100 pcs. | EAN-No. |  |  |
|-------------|-----------|---------|----------|-------|------|------|------|--|----------|---------|--|--|
|             |           |         | Body     | mm    | mm   | mm   | daN  |  | kg       | 4012053 |  |  |
| 2301-S-CE   | 935033    | vz      | HS       | 104,0 | 10,0 | 18,0 | 2500 | 25   | 14,6     | 119611  |  |  |

Fall absorber

2312-S-CE  
2316-S-CE



| Article No. | Ident No.     | Surface | Material | Rope Ø | l     | m    |  | 100 pcs. | EAN-No. |
|-------------|---------------|---------|----------|--------|-------|------|---|----------|---------|
|             |               |         |          | mm     | mm    | mm   |   | kg       | 4012053 |
| 2312-S-CE   | <b>931815</b> | bl      | LM       | 12,0   | 165,0 | 22,0 | 25  | 25,8     | 11900 0 |
| 2316-S-CE   | <b>931816</b> | bl      | LM       | 16,0   | 183,0 | 22,5 | 25  | 36,2     | 11901 7 |

Ein wesentlicher Bestandteil der Falldämpfer 2312 / 2316 sind die "Seilbolzen".

Die Seilbolzen sind auf das zu verwendende Seil abgestimmt. Zur Festlegung der Seilbolzen ist es unbedingt erforderlich die Daten aus Ihrer Zulassung an Henssgen zu geben oder die Henssgen Beratung zu fragen.

Falldämpfer mit Brems-Bolzen entsprechend des verwendeten Seiles, bitte Rückfragen bei Henssgen.



TRADITIONAL

Snap Hook

229-S



2293-S-CE



5722-RH-60-CE




5721-RH-20-





5750-CE



229-TW2



| Article No. | Ident No.     | Surface | Material<br>Body | l<br>mm | d<br>mm | m<br>mm | SWL<br>daN |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|-------------|---------------|---------|------------------|---------|---------|---------|------------|---|----------------|--------------------|
| 229-S       | <b>931646</b> | bl      | LM               | 135,0   | 22,0    | 20,0    | 1600       | 50  | 16,0           | 11920 8            |
| 229-TW2     | <b>930050</b> | bl      | LM               | 165,0   | 23,0    | 21,0    | 1600       | 10  | 22,3           | 11923 9            |

| Article No.   | Ident No.     | Surface | Material<br>Body | l<br>mm | d<br>mm | m<br>mm | BS<br>daN |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|---------------|---------------|---------|------------------|---------|---------|---------|-----------|---|----------------|--------------------|
| 2293-S-CE     | <b>930021</b> | vz      | SS               | 155,0   | 23,5    | 21,0    | 2500      | 10  | 34,2           | 11940 6            |
| 5722-RH-60-CE | <b>917946</b> | bl      | LM               | 240,0   | 22,0    | 62,0    | 2000      | 5   | 45,7           | 11950 5            |
| 5721-RH-20-CE | <b>940100</b> | bl      | LM/NS            | 137,6   | 20,0    | 22,0    | 2000      | 10  | 12,0           | 09377 5            |
| 5750-CE       | <b>931392</b> | ge      | NO               | 129,0   | 22,0    | 18,0    | 2000      | 50  | 24,0           | 12731 9            |

Snap Hook



CATCH FREE


2980-S-CE




2985-TW3-CE



2286-TW3-CE





| Article No. | Ident No. | Surface | Material | l     | d1   | d2   | m    | h    | H    | SL   |  | 100 pcs. | EAN-No. |
|-------------|-----------|---------|----------|-------|------|------|------|------|------|------|---|----------|---------|
|             |           |         | Body     | mm    | mm   | mm   | mm   | mm   | mm   | daN  |   | kg       | 4012053 |
| 2980-S-CE   | 930039    | el      | LM       | 121,0 | 12,0 | 13,0 | 23,0 | 28,0 | 46,0 | 2000 | 10  | 8,9      | 11987 1 |
| 2985-TW3-CE | 930040    | el      | LM       | 122,0 | 14,0 | 13,0 | 22,0 | 22,0 | 52,0 | 2000 | 10  | 9,6      | 11988 8 |
| 2286-TW3-CE | 930041    | el      | LM       | 125,0 | 14,0 | 15,0 | 24,0 | 23,0 | 58,0 | 2000 | 10  | 10,3     | 11989 5 |

2301-S-B-CE



2303-TW3-CE



| Article No. | Ident No. | Surface | Material | l     | m    | Ø    | BS   |  | 100 pcs. | EAN-No. |
|-------------|-----------|---------|----------|-------|------|------|------|--|----------|---------|
|             |           |         | Body     | mm    | mm   | mm   | daN  |  | kg       | 4012053 |
| 2301-S-B-CE | 935039    | fz      | LM       | 110,0 | 18,0 | 11,0 | 2000 | 10   | 7,4      | 09122 1 |
| 2303-TW3-CE | 935031    | el      | LM       | 110,0 | 16,0 | 11,0 | 2000 | 10   | 8,3      | 11972 7 |

S = screw-lock = first unscrew then open  
 TW2 = twist-lock = first twist 90° then open  
 TW3 = trilock = first push, then twist 90°, then open

Snap Hook



CATCH FREE

5740-RH-21 CE




2292-TW2-CE




5750-B-CE




5722-RH-60-B-




| Article No.     | Ident No.     | Surface | Material | l     | d    | m    | SL   |  | 100 pcs. | EAN-No. |
|-----------------|---------------|---------|----------|-------|------|------|------|--|----------|---------|
|                 |               |         | Body     | mm    | mm   | mm   | daN  |  | kg       | 4012053 |
| 5740-RH-21-CE   | <b>940101</b> | el      | LM       | 140,0 | 21,0 | 22,0 | 2000 | 10   | 12,5     | 09406 2 |
| 2292-TW2-CE     | <b>930024</b> | el      | LM       | 177,0 | 22,0 | 24,0 | 2000 | 10   | 21,3     | 11943 7 |
| 5750-B-CE       | <b>931394</b> | fs      | LM       | 140,0 | 21,0 | 18,0 | 2000 | 10   | 13,5     | 12732 6 |
| 5722-RH-60-B-CE | <b>917947</b> | fs      | LM       | 240,0 | 22,0 | 62,0 | 2000 | 10   | 48,3     | 11952 9 |

Snap Hook

2960-S-CE  
2970-S-CE





| Article No. | Ident No.     | Surface | Material<br>Body | l<br>mm | d1<br>mm | d2<br>mm | h<br>mm | H<br>mm | m<br>mm | SL<br>daN |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|-------------|---------------|---------|------------------|---------|----------|----------|---------|---------|---------|-----------|---|----------------|--------------------|
| 2960-S-CE   | <b>930037</b> | el      | LM               | 110,0   | 12,0     | 12,0     | 28,0    | 36,0    | 22,0    | 2200      | 10  | 7,2            | 11984 0            |
| 2970-S-CE   | <b>930038</b> | el      | LM               | 114,0   | 12,0     | 12,0     | 28,0    | 46,0    | 22,0    | 2200      | 10  | 8,8            | 11985 7            |

Swivel

9500

1851-I



| Article No. | Ident No.     | Surface | Material<br>Body | l<br>mm | d1<br>mm | d<br>mm |  |  |  | SL<br>daN |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|-------------|---------------|---------|------------------|---------|----------|---------|--|--|--|-----------|---|----------------|--------------------|
| 9500        | <b>930023</b> | ge      | HS               | 64,5    | 45,0     | 9,0     |  |  |  | 2200      | 50  | 16,9           | 12000 6            |
| 1851-I      | <b>930822</b> | bl      | NS               | 114,0   | 21,0     | 3,0     |  |  |  | 1600      | 25  | 12,3           | 11951 2            |



Dee Ring / Frame

255-LM-CE



255-ST



255-I



256-45x7



256-I



302-44





302-I-44-CE




302-86-CE



305-86-CE



| Article No.          | Ident No. | Surface | Material | l<br>mm | d<br>mm | b<br>mm | Ø<br>mm | SL<br>daN |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|----------------------|-----------|---------|----------|---------|---------|---------|---------|-----------|---|----------------|--------------------|
| 255-LM-45-12-CE      | 931810    | vz      | LM       | 79,0    | 45,0    | 50,0    | 12,0    | 1500      | 100   | 7,1            | 12010 5            |
| 255-ST-25-4,5        | 914362    | vz      | NO       | 35,0    | 25,0    | 21,0    | 4,5     | -         | 250   | 1,2            | 12011 2            |
| 255-I AISI 316       | 926620    | bl      | NS       | 62,0    | 47,0    | 40,0    | 7,0     | 1100      | 25  | 5,2            | 12012 9            |
| 256-I AISI 304       | 931361    | bl      | NS       | 60,0    | 45,0    | 39,0    | 4,0     | 1500      | 50  | 3,8            | 12120 1            |
| 256-45-7             | 914365    | vz      | NO       | 60,0    | 45,0    | 45,0    | 7,0     | 1500      | 100   | 6,0            | 12013 6            |
| 302-44               | 931887    | bl      | LM       | 59,0    | 44,0    | 28,0    | 7,0     | 1000      | 250   | 1,8            | 12030 3            |
| 302-I-44-CE AISI 304 | 926621    | bl      | NS       | 56,5    | 44,5    | 14,5    | 6,0     | 1000      | 25  | 2,9            | 12031 0            |
| 302-86-CE            | 931812    | bl      | LM       | 105,0   | 86,0    | 28,0    | 9,0     | 800       | 100   | 4,6            | 12032 7            |
| 305-86-CE            | 931813    | bl      | LM       | 104,0   | 86,0    | 35,0    | 9,0     | 800       | 100   | 4,6            | 12050 1            |



Dee Ring / Frame / Thimble


2990-CE




200-86-CE



7472-F




| Article No.  | Ident No. | Surface | Material | l<br>mm | d<br>mm | b<br>mm | ø<br>mm | SL<br>daN |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|--------------|-----------|---------|----------|---------|---------|---------|---------|-----------|--|----------------|--------------------|
| 2990-CE      | 931814    | bl      | LM       | 110,0   | 86,0    | 10,0    | 11,0    | 1600      | 100  | 10,1           | 12060 0            |
| 200-86-CE    | 931808    | bl      | LM       | 105,0   | 86,0    | 28,0    | 9,0     | 800       | 100  | 5,8            | 12070 9            |
| 7472-F-12-CE | 931649    | bl      | LM       | 68,0    | 20,0    | 29,5    | 9,5     | 1500      | 200  | 4,1            | 12090 7            |
| 7472-F-16-CE | 931650    | bl      | LM       | 95,0    | 32,5    | 33,0    | 10,0    | 1500      | 100  | 5,7            | 12091 4            |
| 7472-G       | 931821    | bl      | LM       | 100,0   | 75,0    | 20,0    | 10,0    | 1200      | 100  | 6,0            | 12092 1            |

5764 / 5765





5770-I-64-62-6



| Article No.    | Ident No. | Surface | Material | l<br>mm | d<br>mm | b<br>mm | ø<br>mm | SL<br>daN | BS<br>daN |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|----------------|-----------|---------|----------|---------|---------|---------|---------|-----------|-----------|---|----------------|--------------------|
| 5764           | 950036    | vz      | HS       | 64,0    | 45,0    | 9,5     | 9,0     | 3000      | 5000      | 100   | 8,2            | 12110 2            |
| 5765           | 932318    | vz      | HS       | 64,0    | 45,0    | 9,5     | 7,0     | 1500      | 3000      | 50  | 7,2            | 12111 9            |
| 5770-I-64-62-6 | 935052    | bl      | A2       | 64,0    | 46,0    | 47,0    |         | 1500      | 3000      | 300   | 6,4            | 09143 6            |



843




| Article No. | Ident No. | Surface | Material | Seil-Ø<br>Rope-Ø<br>Cable-Ø<br>mm | a<br>mm | c<br>mm | l<br>mm | s<br>mm |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|-------------|-----------|---------|----------|-----------------------------------|---------|---------|---------|---------|--|----------------|--------------------|
| 843-12      | 913452    | bl      | LM       | 12,0                              | 12,0    | 21,0    | 40,0    | 1,5     | 50   | 1,1            | 12080 8            |
| 843-16      | 900305    | bl      | LM       | 24,0                              | 16,0    | 24,0    | 40,0    | 1,5     | 20   | 1,3            | 12081 5            |


Belt Buckle

6245 female



6245 male




| Article No. | Ident No. | Surface | Material | b1   | b2   | h    | thickness | SL  |  | 100 pcs. | EAN-No. |
|-------------|-----------|---------|----------|------|------|------|-----------|-----|--|----------|---------|
|             |           |         |          | mm   | mm   | mm   | mm        | daN |  | kg       | 4012053 |
| 6245-04-F   | 940013    | vz      | NO       | 48,0 | 62,0 | 45,5 | 4,0       | 900 | 400  | 4,9      | 09389 8 |
| 6245-04-M   | 940014    | vz      | NO       | 45,0 | 58,0 | 29,0 | 4,0       | 900 | 400  | 3,8      | 09390 4 |
| 6245-03M    | 940007    | vz      | NO       | 45,0 | 58,0 | 29,0 | 3,0       | 900 | 400  | 2,7      | 09395 9 |


Adjustable Buckle

6424




6425




| Article No. | Ident No. | Surface | Material | b1   | b2   | h    | thickness | SL   |  | 100 pcs. | EAN-No. |
|-------------|-----------|---------|----------|------|------|------|-----------|------|---|----------|---------|
|             |           |         |          | mm   | mm   | mm   | mm        | daN  |   | kg       | 4012053 |
| 6424-45     | 940011    | vz      | NO       | 46,0 | 64,0 | 55,0 | 4,0       | 1500 | 200   | 10,4     | 09382 9 |
| 6425-45     | 940010    | ge      | NO       | 46,0 | 64,0 | 55,0 | 4,0       | 1500 | 200   | 10,4     | 09379 9 |

Backgrate

45




| Article No. | Ident No. | Surface | Material | b1<br>mm | b2<br>mm | h<br>mm | l<br>mm |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|-------------|-----------|---------|----------|----------|----------|---------|---------|---|----------------|--------------------|
| 45-35       | 940020    | fb      | KS       | 55,0     | 45,0     | 85,0    | 103,0   | 50  | 2,2            | 93805              |

Beltguidance

45-16



| Article No. | Ident No. | Surface | Material | für Gurtbreite<br>for belt width<br>mm | für Gurtstärke<br>for belt thickness<br>mm |  | 100 pcs.<br>kg | EAN-No.<br>4012053 |
|-------------|-----------|---------|----------|--|--|---|----------------|--------------------|
| 45-16       | 940021    | fb      | KS       | 45,0                                   | 1,5  | 100   | 0,2            | 93812              |