

Olytri 300

RESCUE SYSTEM

- Latest generation of a tried and tested design
- Swiss Made
- Simple to use
- Minimal servicing
- Safe and efficient ascent and descent
- Versatile application
- Certified to EN.341 Class A


Training is essential for correct use of this product as with all safety and rescue equipment.

Training can be provided on site along with servicing, inspection, testing, installation and certification.

Fast track service and repair available.



The **Olytri 300** is available in different configurations to suit customer requirements (see table below). Rope lengths are prepared for the working distance required.



System set up	Ratio	Percentage of Load (approx)
Olytri 300 system standard form	1:1	100%
Olytri 300 system plus one folding pulley	2:1	50%
Olytri 300 system plus two folding pulleys	3:1	33%
Olytri 300 system 4:1 and 5:1 available on request		

Olytri 300 available in three models:	Aluminium: Standard rescue unit
	Aluminium/Stainless Steel pulley: For prolonged and heavy duty use
	Stainless Steel: suitable for petrol chemical and food production use

The **Olytri 300** has been applied in a wide variety of environments, some of which include:

- High bay warehousing
- Chemical plants
- Offshore platforms
- Oil and gas refineries
- Fire brigades
- Confined spaces
- Vessel entry
- Rescue from height
- Power stations

